

# **JBoss Transactions API 4.13.0**

---

## Installation Guide

JBTA-IG-9/d/yy



## Legal Notices

The information contained in this documentation is subject to change without notice.

Arjuna Technologies Limited makes no warranty of any kind with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Arjuna Technologies Limited shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material.

Java™ and J2EE is a U.S. trademark of Sun Microsystems, Inc. Microsoft® and Windows NT® are registered trademarks of Microsoft Corporation. Oracle® is a registered U.S. trademark and Oracle9™, Oracle9 Server™ Oracle9 Enterprise Edition™ are trademarks of Oracle Corporation. Unix is used here as a generic term covering all versions of the UNIX® operating system. UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company Limited.

Arjuna is a trademark of Hewlett-Packard Company.

## Copyright

JBoss, Home of Professional Open Source Copyright 2006, JBoss Inc., and individual contributors as indicated by the @authors tag. All rights reserved.

See the copyright.txt in the distribution for a full listing of individual contributors. This copyrighted material is made available to anyone wishing to use, modify, copy, or redistribute it subject to the terms and conditions of the GNU General Public License, v. 2.0. This program is distributed in the hope that it will be useful, but WITHOUT A WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

See the GNU General Public License for more details. You should have received a copy of the GNU General Public License, v. 2.0 along with this distribution; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, \* MA 02110-1301, USA.

## Software Version

JBoss Transactions API 4.13.0

## Restricted Rights Legend

Use, duplication, or disclosure is subject to restrictions as set forth in contract subdivision (c)(1)(ii) of the Rights in Technical Data and Computer Software clause 52.227-FAR14.

© Copyright 2010 JBoss Inc.

# Contents

## Table Of Contents

<b>About This Guide.....</b>	<b>4</b>	<b>Installing ArjunaTA.....</b>	<b>6</b>
What This Guide Contains.....	4	Preparing your system.....	6
Audience.....	4	ObjectStore management.....	6
Prerequisites.....	4	Operating System Services.....	6
Organization.....	4	Installing and Uninstalling.....	7
Documentation Conventions.....	4	Logging.....	10
Additional Documentation.....	5	ObjectStore management.....	10
Contacting Us.....	5	Additional jar requirements.....	10
		Setting properties.....	10

# About This Guide

## What This Guide Contains

---

The Installation Guide contains information on how to use JBoss Transactions API 4.13.0.

## Audience

---

This guide is most relevant to engineers who are responsible for installing JBoss Transactions API 4.13.0 installations.

## Prerequisites

---

None.

## Organization

---

This guide contains the following chapters:

- **Chapter 1, Installing ArjunaTA:** contains information on the way to install ArjunaTA

## Documentation Conventions

---

The following conventions are used in this guide:

Convention	Description
<i>Italic</i>	In paragraph text, italic identifies the titles of documents that are being referenced. When used in conjunction with the Code text described below, italics identify a variable that should be replaced by the user with an actual value.
<b>Bold</b>	Emphasizes items of particular importance.
Code	Text that represents programming code.
<b>Function   Function</b>	A path to a function or dialog box within an interface. For example, "Select File   Open." indicates that you should select the Open function

---

	from the File menu.
( ) and	<p>Parentheses enclose optional items in command syntax. The vertical bar separates syntax items in a list of choices. For example, any of the following three items can be entered in this syntax:</p> <pre>persistPolicy (Never   OnTimer   OnUpdate   NoMoreOftenThan)</pre>
<b>Note:</b>	A note highlights important supplemental information.
<b>Caution:</b>	A caution highlights procedures or information that is necessary to avoid damage to equipment, damage to software, loss of data, or invalid test results.

Table 1      Formatting Conventions

## Additional Documentation

---

In addition to this guide, the following guides are available in the JBoss Transactions API 4.13.0 documentation set:

- **JBoss Transactions API 4.13.0 Release Notes:** Provides late-breaking information about JBoss Transactions API 4.13.0.
- **JBoss Transactions API 4.13.0 Administration Guide:** This guide provides instructions for administering JBoss Transactions API 4.13.0.
- **JBoss Transactions API 4.13.0 Programmer's Guide:** Provides guidance for writing applications.

## Contacting Us

---

Questions or comments about JBoss Transactions API 4.13.0 should be directed to our support team.

# Installing ArjunaTA

## Preparing your system

---

Before installing the *ArjunaTA* software, we recommend the following administrative steps be taken, assuming a default configuration for *ArjunaTA*:

- Install the distribution into the required location.
- *ArjunaTA* requires a minimum object store for storing the outcome of transactions in the event of system crashes. The location of this should be specified in the properties file using the `ObjectStoreEnvironmentBean.objectStoreDir` environment variable, e.g., `java -DObjectStoreEnvironmentBean.objectStoreDir=C:\temp foo`.
- By default, all object states will be stored within the `defaultStore` subdirectory of the object store root, e.g., `/usr/local/Arjuna/TransactionService/ObjectStore/defaultStore`. However, this subdirectory can be changed by setting the `ObjectStoreEnvironmentBean.localOSRoot` property variable accordingly.

## ObjectStore management

---

Within the transaction service installation, the object store is updated regularly whenever transactions are created, or when *Transactional Objects for Java* is used. In a failure free environment, the only object states which should reside within the object store are those representing objects created with the *Transactional Objects for Java* API. However, if failures occur, transaction logs may remain in the object store until crash recovery facilities have resolved the transactions they represent. As such it is very important that the contents of the object store are not deleted without due care and attention, as this will make it impossible to resolve in doubt transactions. In addition, if multiple users share the same object store it is important that they realise this and do not simply delete the contents of the object store assuming it is an exclusive resource.

## Operating System Services

---

It is possible to run the recovery manager and transaction server as operating system services.

## Installing and Uninstalling

This section explains how to install and uninstall these operating system services for the two main types of operating system: Windows and UNIX (Solaris, Linux and HP-UX).

### Windows

There are four scripts provided which will install/uninstall the recovery manager and transaction server services, these files can be found in `Services\bin\windows`:


- Recovery Manager Service
  - `InstallRecoveryManagerService-NT.bat` – running this script will install the Recovery Manager as a Windows service.
  - `UninstallRecoveryManagerService-NT.bat` – running this script will uninstall the Recovery Manager as a Windows service.
- Transaction Server
  - `InstallTransactionServerService-NT.bat` – running this script will install the Transaction Manager as a Windows service.
  - `UninstallTransactionServerService-NT.bat` – running this script will uninstall the Transaction Server as a Windows service.

Please note that you must either be logged on as an administrator or have administrator privileges to install/uninstall a Windows service.

Once you have run an install script you should see the following message:

```
wrapper | JBoss Transaction Service <service name> installed.
```

This indicates that the service has been installed successfully. The service should also be visible in the services list from the Control Panel (see Figure 1 Services list from the Control Panel)



**Figure 1 Services list from the Control Panel**

Once you have run an uninstall script you should see the following message:

```
wrapper | JBoss Transaction Service <service name> removed.
```

This indicates that the service has been uninstalled successfully.

## UNIX

To install the services on Unix machines perform the following steps:

1. Make sure that you are logged in as the user `root', as the installer needs to create files under the directory `/etc'.
2. Change directory to services/installer.
3. Make sure the environment variable JAVA\_HOME is set to the home directory of the JVM you wish the services to be run as. For example:

```
JAVA_HOME=/opt/java; export JAVA_HOME      (for sh)
```

```
setenv JAVA_HOME /opt/java                  (for csh)
```



#### 4. Run the installer script:

```
./install_services.sh
```

The following is example output from a computer running the Solaris operating system:

```
# ./install_services.sh

Adding $JAVA_HOME (/opt/java) to $PATH in
/opt/arjuna/ats-3.2/services/bin/solaris/recoverymanagerservice.sh
Adding $JAVA_HOME (/opt/java) to $PATH in
/opt/arjuna/ats-3.2/services/bin/solaris/transactionserverservice.sh
Installing shutdown scripts into /etc/rcS.d:
    K01recoverymanagerservice
    K00transactionserverservice
Installing shutdown scripts into /etc/rc0.d:
    K01recoverymanagerservice
    K00transactionserverservice
Installing shutdown scripts into /etc/rc1.d:
    K01recoverymanagerservice
    K00transactionserverservice
Installing shutdown scripts into /etc/rc2.d:
    K01recoverymanagerservice
    K00transactionserverservice
Installing startup scripts into /etc/rc3.d:
    S98recoverymanagerservice
    S99transactionserverservice
```

Upon restarting the computer the transaction server and recovery manager service should be started. To uninstall the services on a Unix machine simply perform the following steps:

1. Make sure that you are logged in as the user `root`, as the installer needs to remove files under the directory `/etc`.
2. Change directory to `services/installer`.
3. Run the installer script with the "-u" argument:

```
./install_services.sh -u
```

The following is example output from a computer running the Solaris operating system:

```
# ./install_services.sh

Removing startup scripts from /etc/rc3.d:
    S98recoverymanagerservice
    S99transactionserverservice
Removing shutdown scripts from /etc/rcS.d:
    K01recoverymanagerservice
    K00transactionserverservice
Removing shutdown scripts from /etc/rc0.d:
    K01recoverymanagerservice
```

```
K00transactionserverservice
Removing shutdown scripts from /etc/rc1.d:
K01recoverymanagerservice
K00transactionserverservice
Removing shutdown scripts from /etc/rc2.d:
K01recoverymanagerservice
K00transactionserverservice
```

## Logging

The recovery manager and the transaction server services produce log files which are located in the `services/logs/` directory. There are two log files per service one called `<service name>-service.log` (e.g. `recovery-manager-service.log`), which contains information regarding the state of the service (e.g. started, stopped, restarted etc). The other is called `<services-name>.log` (e.g. `recovery-manager.log`) this contains information logged from the actual service (e.g. application level logging). To configure what information is logged in these files please edit the appropriate LOG4J configuration files which are located in `services/config/`.

## ObjectStore management

---

Within the transaction service installation, the object store is updated regularly whenever transactions are created, or when *Transactional Objects for Java* is used. In a failure free environment, the only object states which should reside within the object store are those representing objects created with the *Transactional Objects for Java* API. However, if failures occur, transaction logs may remain in the object store until crash recovery facilities have resolved the transactions they represent. As such it is very important that the contents of the object store are not deleted without due care and attention, as this will make it impossible to resolve in doubt transactions. In addition, if multiple users share the same object store it is important that they realise this and do not simply delete the contents of the object store assuming it is an exclusive resource.

## Additional jar requirements

---

In order to fully utilize all of the facilities available within *ArjunaTA*, it will be necessary to add all of the jar files contained in the `lib` directory of the distribution.

## Setting properties

---

*ArjunaTA* has been designed to be highly configurable at runtime through the use of various property attributes, which will be described in subsequent sections. Although these attributes can be provided at runtime on the command line, it is possible (and may be more convenient) to specify them through a single properties file. At runtime *ArjunaTA* looks for the file `jbossts-properties.xml` in the following order:

1. A location specified by system property, allowing the normal search path to be overridden.
2. the current working directory, i.e., where the application was executed from.

3. the user's home directory.
4. java.home
5. the CLASSPATH, which normally includes the installations etc dir
6. A default set of properties embedded in the .jar file.

Where properties are defined in both the system properties e.g. -Dfoo=bar and in the properties file, the value from the system property takes precedence. This facilitates overriding individual properties easily on the command line.

The properties file uses java.util.Properties xml format, for example:

```
<entry
  key="CoordinatorEnvironmentBean.asyncCommit">YES</entry>
<entry
  key="ObjectStoreEnvironmentBean.objectStoreDir">/foo/ObjectStore</entry>
```

The name of the properties file can be overridden at runtime by specifying a new file using the `com.arjuna.ats.arjuna.common.propertiesFile` attribute variable.